

Tel/Fax (495) 221-58-89

E-mail: info@newic.ru

Веб-сайт: http://www.newic.ru

Прайс-лист на продукцию компании STI

Model No.	Part No.	Описание	Цена в USD (включая НДС)
Ультразвуковые датчики расстояния (уровня)			
DCU1104	125139	Ultrasonic sensor, 2 to 50 ft., 3 NPT, Autosense, 4-20 mA & 2 relay outputs, FM for Class 1 Div 2	1204,50
DCU1108	125141	Ultrasonic sensor, 2 to 50ft. range, Teflon faced 4in. ANSI 150# flange, Autosense software, 4-20 mA & 2 relay outputs, FM Class 1 Div 2	1336,50
DCU1621	125155	Ultrasonic sensor, 4 to 72 in., 4-20 mA output; 2 NPT, PVC housing; RS232; Autosense software	548,90
DCU1623	125156	Ultrasonic sensor, 4 to 72in. range, 4-20 mA output; 2 NPT, PVC housing; SS sensor face; RS232 interface; Autosense software	603,90
DCU1633	125158	Ultrasonic sensor, 4 to 72in. range, 4-20 mA output; PVC housing; SS 2in. sanitary fitting; RS232 interface; Autosense software	764,50
DCU1702	125159	Ultrasonic sensor, 1 to 16 ft. range, with 4 SS relay outputs, 2 NPT, RS-232 interface	709,50
DCU1703	125160	Ultrasonic sensor, 1 to 20ft. range, PVC housing, w/4 SS relay outputs, 1 NPT rear mounting; RS232 interface, FM for Class 1 Div 1	764,50
DCU1802	125162	Ultrasonic sensor, 1 to 16ft. range, 2 NPT; RS485 interface w/ terminal software	603,90
DCU1803	125163	Ultrasonic sensor, 1 to 20ft. range, 3 NPT; RS485 interface w/ terminal software	654,50
DCU7070	125179	Ultrasonic sensor, 1 to 32ft. range; Web Control sensor; electrostatic transducer, bracket mount, analog output (0 to 5VDC), RS232 interface	874,50
DCU7110	125180	Ultrasonic sensor, 1 to 16ft. range, ceramic transducer, 2 NPT, PVC housing, analog output (0 to 5VDC); excitation circuit; RS232	797,50
DCU7210	125181	Relays, Controller, & Man-Machine Interface	874,50
IRU1001	125265	Ultrasonic sensor, 1 to 10 ft. range, electrostatic transducer, SS housing, transistor output	385,00
IRU2002	125279	Ultrasonic sensor, 1 to 25 ft. range, SS relay out, surface mount, RS232 programmable w/ RST2001	493,90
IRU2003	125281	Ultrasonic sensor, 1 to 25ft. range, 4-20 mA output; surface mount, RS232 programmable with RST2001	548,90
IRU2004	125283	Ultrasonic sensor, 1 to 25ft. range, w/ NPN output, surface mount, RS485 computer interface	548,90
IRU2005	125285	Ultrasonic sensor, 1 to 25ft. range, 4-20 mA & 2 NPN outputs, RS232 programmable with RST2001	548,90

IRU2122	125290	Ultrasonic sensor, 1 to 25ft. range, 2 NPT, PVC housing, SS relay output, RS232 programmable with RST2001	658,90
IRU2123	125291	Ultrasonic sensor, 1 to 25ft. range, 2 NPT, PVC housing, 4-20 mA output, RS232 programmable with RST2001 module	715,00
IRU2124	125292	Ultrasonic sensor, 1 to 25ft. range, 2 NPT, PVC housing, RS485 computer interface	715,00
IRU2125	125294	Ultrasonic sensor, 1 to 25ft. range, 2 NPT, PVC housing, 4-20 mA & 2 NPN outputs, RS232 programmable with RST2001 module	715,00
IRU2223	125296	Ultrasonic sensor, 1 to 25ft. range, 2in. ANSI 150# flange, PVC housing, 4-20 mA output, RS232 programmable with RST2001 module	823,90
IRU2224		Ultrasonic sensor, 1 to 25ft. range, 2in. ANSI 150# flange, PVC housing, NPN output, RS485	823,90
IRU2225	125297	Ultrasonic sensor, 1 to 25ft. range, 2in. ANSI 150# flange, PVC housing, 4-20 mA & 2 NPN outputs, RS232 programmable with RST2001 module	823,90
IRU2333	2333	Ultrasonic sensor, 1 to 20ft. range, SS 3in. sanitary fitting; PVC housing, 4-20 mA output RS232 programmable with RST2001 module	823,90
IRU3133	125300	Ultrasonic sensor, 1.25 to 35ft. range, 3 NPT, PVC housing, 4-20 mA output, RS232 programmable with RST2001 module	874,50
IRU3134		Ultrasonic sensor, 1.25 to 35ft. range, 3 NPT, PVC housing, NPN output, RS485 interface	874,50
IRU3135	125301	Ultrasonic sensor, 1.25 to 35ft. range, 3 NPT, PVC housing, 4-20 mA & 2 NPN outputs, RS232 programmable with RST2001 module	874,50
IRU3233	125036	Ultrasonic sensor, 1.25 to 35ft. range, 3in. ANSI 150# flange, PVC housing, 4-20 mA output, RS232 programmable with RST2001 module	933,90
IRU3234		Ultrasonic sensor, 1.25 to 35ft., 3in. ANSI 150# flange, PVC housing, NPN output, RS485 interface	933,90
IRU3235	125037	Ultrasonic sensor, 1.25 to 35ft. range, 3in. ANSI 150# flange, PVC housing, 4-20 mA & 2 NPN outputs, RS232 programmable with RST2001 module	933,90
IRU5180	125302	Ultrasonic sensor, 1 to 10ft. range, 4-20 mA output; 2 NPT, PVC housing, RS-232	691,90
IRU5280	125305	Ultrasonic sensor, 1 to 20ft. range, 3 NPT, 4-20 mA output, RS232 interface, FM for Class 1 Div 1	812,90
IRU5281	125306	Ultrasonic sensor, 1 to 20ft. range, Teflon faced 3in. ANSI 150# flange, 4-20 mA output, RS232 interface, FM for Class 1, Div 1	900,90
LPU-2127	125038	Ultrasonic sensor, 1 to 16ft. range, PDVF transducer, 2 NPT, Zytel housing, 4-20ma Loop Powered, keypad and display	874,50
Принадлежности к датчикам			
ACC-2050		Port powered RS232 to RS485 converter	107,80
ACC1001	125047	Mounting bracket; 2in. sensor, 316SS	55,00
ACC1002	125048	Mounting bracket, 2in. sensor, zinc	16,50
ACC1003	125049	Mounting bracket, 3in. sensor, zinc	16,50

ACC1007	125052	Digital readout with LED display, surface mount. For use with the DCU1100, DCU1600, DCU1700 Series and the IRU1001, IRU2002, and IRU2003	247,50
ACC1008	125053	Digital readout with LCD display, surface mount. For use with the DCU1100, DCU1600, DCU1700 Series and the IRU1001, IRU2002, and IRU2003	247,50
ACC1009	125054	3 NPT 150# flange for use with all 3in. sensors to mount to 3 ANSI 150# flange	55,00
ACC1010	125055	Sensor power supply, 110/220 volt, regulated 12VDC at 1.7A	110,00
ACC1011	125056	Connector (coupler) for two coaxial cables, F series	3,30
ACC1012-3	125057	Selection switch module for manual switching up to (3) DST sensors with (1) DCR controller	143,00
ACC1013	125059	Replacement electrostatic transducer for DST1001, DCU7070	49,50
ACC1014	125060	Cable and programming disk for RS232 interface; Specify sensor	16,50
ACC1016	125062	Selection switch module for manual switch up to (6) DST sensors with (1) DCR controller	176,00
ACC1020	125066	Sensor power supply, 110/220 volt, regulated 24VDC at 1.2A	110,00
ACC1022	125067	2 NPT 150# flange for use with all 2in. sensors to mount to 2 ANSI 150# flange	55,00
ACC1030	125068	F series connectors for RG-6 coaxial cable	3,30
CBL-1004	135321	RG-6 coaxial cable adder for DST systems, per ft.	1,10
CBL-1005	135296	5 conductor, shielded cable, per ft.	1,10
CBL-1006	135297	6 conductor, shielded cable, per ft.	1,93
CBL-1008	135300	8 conductor, shielded cable, per ft.	2,48
CBL-1010	135304	10 conductor, shielded cable, per ft.	2,75
CBL-1012	135306	12 conductor, shielded cable, per ft.	3,30
RST-2001A	125367	RS232 programming adapter	88,00
RST-3001	125389	USB Interface Module	88,00